

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
 Telephone: 856-858-4800 Fax:856-786-5974  
 EMSL-CIN-01

**EMSL Order ID:** 012433841  
**LIMS Reference ID:** AC33841  
**EMSL Customer ID:** EPIC62

**Attention:** James Eberts  
 Epic Environmental Services, LLC [EPIC62]  
 80 Fork Bridge Road  
 Pittsgrove, NJ 08318  
 (856) 205-1077  
 jeberts@epicenviro.com

**Project Name:** 740 Chestnut St LIW  
**Customer PO:** 24-1069  
**EMSL Sales Rep:** Justin Monturano  
**Received:** 10/15/2024 10:00  
**Reported:** 11/01/2024 16:08

**Analytical Results**

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: CHES-WC-BLRL Lims Reference ID: AC33841-01 Matrix: Drinking Water Sampled: 10/12/24 08:54:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	10/28/24 17:10	10/29/24 16:56	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CHES-WC-BLRR Lims Reference ID: AC33841-02 Matrix: Drinking Water Sampled: 10/12/24 08:55:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	10/28/24 17:10	10/29/24 15:43	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CHES-BF-BLR Lims Reference ID: AC33841-03 Matrix: Drinking Water Sampled: 10/12/24 08:55:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	10/28/24 17:10	10/29/24 15:45	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CHES-WC-GLRL Lims Reference ID: AC33841-04 Matrix: Drinking Water Sampled: 10/12/24 08:57:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	10/28/24 17:10	10/29/24 15:47	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CHES-WC-GLRR Lims Reference ID: AC33841-05 Matrix: Drinking Water Sampled: 10/12/24 08:57:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	10/28/24 17:10	10/29/24 15:49	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CHES-WC-02-Hall1L Lims Reference ID: AC33841-06 Matrix: Drinking Water Sampled: 10/12/24 09:08:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	10/28/24 17:10	10/29/24 15:56	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CHES-WC-02-Hall1R Lims Reference ID: AC33841-07 Matrix: Drinking Water Sampled: 10/12/24 09:08:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	10/28/24 17:10	10/29/24 15:58	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CHES-WC-02-Hall1 Lims Reference ID: AC33841-08 Matrix: Drinking Water Sampled: 10/12/24 09:09:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	10/28/24 17:10	10/29/24 16:00	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CHES-WC-03-Hall2L Lims Reference ID: AC33841-09 Matrix: Drinking Water Sampled: 10/12/24 09:09:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	10/28/24 17:10	10/29/24 16:02	PL	EPA 200.8 (DA)/EPA 200.8



**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
Telephone: 856-858-4800 Fax:856-786-5974  
EMSL-CIN-01

**EMSL Order ID:** 012433841  
**LIMS Reference ID:** AC33841  
**EMSL Customer ID:** EPIC62

**Attention:** James Eberts  
Epic Environmental Services, LLC [EPIC62]  
80 Fork Bridge Road  
Pittsgrove, NJ 08318  
(856) 205-1077  
jeberts@epicenviro.com

**Project Name:** 740 Chestnut St LIW  
**Customer PO:** 24-1069  
**EMSL Sales Rep:** Justin Monturano  
**Received:** 10/15/2024 10:00  
**Reported:** 11/01/2024 16:08

**Analytical Results**  
(Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: CHES-WC-03-Hall2R Lims Reference ID: AC33841-10 Matrix: Drinking Water Sampled: 10/12/24 09:09:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	10/28/24 17:10	10/29/24 16:04	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CHES-WC-03-Hall2 Lims Reference ID: AC33841-11 Matrix: Drinking Water Sampled: 10/12/24 09:09:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	10/28/24 17:10	10/29/24 16:06	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CHES-SO-210 Lims Reference ID: AC33841-12 Matrix: Drinking Water Sampled: 10/12/24 09:16:00									
<b>Metals</b>									
Lead	1.63		1	1.00	µg/L	10/28/24 17:10	10/29/24 16:13	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CHES-FR-210 Lims Reference ID: AC33841-14 Matrix: Drinking Water Sampled: 10/12/24 09:16:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	10/28/24 17:10	10/29/24 16:15	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CHES-SO-107F Lims Reference ID: AC33841-16 Matrix: Drinking Water Sampled: 10/12/24 09:17:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	10/28/24 17:10	10/29/24 16:21	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CHES-SO-107C Lims Reference ID: AC33841-18 Matrix: Drinking Water Sampled: 10/12/24 09:17:00									
<b>Metals</b>									
Lead	2.75		1	1.00	µg/L	10/28/24 17:10	10/29/24 16:23	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CHES-WC-Hall3L Lims Reference ID: AC33841-20 Matrix: Drinking Water Sampled: 10/12/24 09:12:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	10/28/24 17:10	10/29/24 16:25	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CHES-WC-Hall3R Lims Reference ID: AC33841-21 Matrix: Drinking Water Sampled: 10/12/24 09:12:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	10/28/24 17:10	10/29/24 16:27	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CHES-BF-Hall3 Lims Reference ID: AC33841-22 Matrix: Drinking Water Sampled: 10/12/24 09:12:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	10/28/24 17:10	10/29/24 16:29	PL	EPA 200.8 (DA)/EPA 200.8



**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
 Telephone: 856-858-4800 Fax:856-786-5974  
 EMSL-CIN-01

**EMSL Order ID:** 012433841  
**LIMS Reference ID:** AC33841  
**EMSL Customer ID:** EPIC62

**Attention:** James Eberts  
 Epic Environmental Services, LLC [EPIC62]  
 80 Fork Bridge Road  
 Pittsgrove, NJ 08318  
 (856) 205-1077  
 jeberts@epicenviro.com

**Project Name:** 740 Chestnut St LIW  
**Customer PO:** 24-1069  
**EMSL Sales Rep:** Justin Monturano  
**Received:** 10/15/2024 10:00  
**Reported:** 11/01/2024 16:08

### Analytical Results (Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: CHES-WC-03-Hall6L Lims Reference ID: AC33841-35 Matrix: Drinking Water Sampled: 10/12/24 09:40:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	10/28/24 17:11	10/30/24 08:11	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CHES-WC-03-Hall6R Lims Reference ID: AC33841-36 Matrix: Drinking Water Sampled: 10/12/24 09:40:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	10/28/24 17:11	10/30/24 08:13	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CHES-WC-03-Hall6 Lims Reference ID: AC33841-37 Matrix: Drinking Water Sampled: 10/12/24 09:50:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	10/28/24 17:11	10/30/24 08:15	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CHES-SO-03-331 Lims Reference ID: AC33841-38 Matrix: Drinking Water Sampled: 10/12/24 09:50:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	10/28/24 17:11	10/30/24 08:17	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CHES-SO-03-327 Lims Reference ID: AC33841-40 Matrix: Drinking Water Sampled: 10/12/24 09:51:00									
<b>Metals</b>									
Lead	1.77		1	1.00	µg/L	10/28/24 17:11	10/30/24 08:36	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CHES-SO-Kit1 Lims Reference ID: AC33841-42 Matrix: Drinking Water Sampled: 10/12/24 09:51:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	10/28/24 17:11	10/30/24 08:38	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CHES-SO-Kit2 Lims Reference ID: AC33841-44 Matrix: Drinking Water Sampled: 10/12/24 09:51:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	10/28/24 17:11	10/29/24 18:13	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CHES-SO-Kit3 Lims Reference ID: AC33841-46 Matrix: Drinking Water Sampled: 10/12/24 09:53:00									
<b>Metals</b>									
Lead	1.12		1	1.00	µg/L	10/28/24 17:11	10/29/24 18:15	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CHES-IM-Kit Lims Reference ID: AC33841-48 Matrix: Drinking Water Sampled: 10/12/24 09:53:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	10/28/24 17:11	10/29/24 18:17	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
 Telephone: 856-858-4800 Fax:856-786-5974  
 EMSL-CIN-01

**EMSL Order ID:** 012433841  
**LIMS Reference ID:** AC33841  
**EMSL Customer ID:** EPIC62

**Attention:** James Eberts  
 Epic Environmental Services, LLC [EPIC62]  
 80 Fork Bridge Road  
 Pittsgrove, NJ 08318  
 (856) 205-1077  
 jeberts@epicenviro.com

**Project Name:** 740 Chestnut St LIW  
**Customer PO:** 24-1069  
**EMSL Sales Rep:** Justin Monturano  
**Received:** 10/15/2024 10:00  
**Reported:** 11/01/2024 16:08

**Analytical Results**  
 (Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: CHES-WC-Hall7L Lims Reference ID: AC33841-49 Matrix: Drinking Water Sampled: 10/12/24 09:03:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	10/28/24 17:11	10/29/24 18:19	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CHES-WC-Hall7R Lims Reference ID: AC33841-50 Matrix: Drinking Water Sampled: 10/12/24 09:03:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	10/28/24 17:11	10/29/24 18:21	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CHES-WC-Hall7 Lims Reference ID: AC33841-51 Matrix: Drinking Water Sampled: 10/12/24 09:03:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	10/28/24 17:11	10/29/24 18:23	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CHES-FB Lims Reference ID: AC33841-53 Matrix: Drinking Water Sampled: 10/12/24 09:45:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	10/28/24 17:11	10/29/24 18:25	PL	EPA 200.8 (DA)/EPA 200.8



**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
Telephone: 856-858-4800 Fax:856-786-5974  
EMSL-CIN-01

**EMSL Order ID:** 012433841  
**LIMS Reference ID:** AC33841  
**EMSL Customer ID:** EPIC62

**Attention:** James Eberts  
Epic Environmental Services, LLC [EPIC62]  
80 Fork Bridge Road  
Pittsgrove, NJ 08318  
(856) 205-1077  
jeberts@epicenviro.com

**Project Name:** 740 Chestnut St LIW  
**Customer PO:** 24-1069  
**EMSL Sales Rep:** Justin Monturano  
**Received:** 10/15/2024 10:00  
**Reported:** 11/01/2024 16:08

**Certified Analyses included in this Report**

Analyte	Certifications
<b>EPA 200.8 in Drinking Water</b>	
Lead	NJDEP

**List of Certifications**

Code	Description	Number	Expires
PADEP	Pennsylvania Department of Environmental Protection	68-00367	11/30/2024
NYSDOH	New York State Department of Health	10872	04/01/2025
NJDEP	New Jersey Department of Environmental Protection	03036	06/30/2025
MADEP	Massachusetts Department of Environmental Protection	M-NJ337	06/30/2025
CTDPH	Connecticut Department of Public Health	PH-0270	06/23/2026
California ELAP	California Water Boards	1877	06/30/2025
AIHA LAP	EMSL Analytical, Inc. Cinnaminson, NJ AIHA-LAP, LLC-ELLAP Accredited	100194	01/01/2025
A2LA	A2LA Environmental Certificate	2845.01	07/31/2026

Please see the specific Field of Testing (FOT) on [www.emsl.com](http://www.emsl.com) <<http://www.emsl.com>> for a complete listing of parameters for which EMSL is certified.



**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
Telephone: 856-858-4800 Fax:856-786-5974  
EMSL-CIN-01

**EMSL Order ID:** 012433841  
**LIMS Reference ID:** AC33841  
**EMSL Customer ID:** EPIC62

**Attention:** James Eberts  
Epic Environmental Services, LLC [EPIC62]  
80 Fork Bridge Road  
Pittsgrove, NJ 08318  
(856) 205-1077  
jeberts@epicenviro.com

**Project Name:** 740 Chestnut St LIW  
  
**Customer PO:** 24-1069  
**EMSL Sales Rep:** Justin Monturano  
**Received:** 10/15/2024 10:00  
**Reported:** 11/01/2024 16:08

**Notes and Definitions**

<b>Item</b>	<b>Definition</b>
(Dig)	For metals analysis, sample was digested.
[2C]	Reported from the second channel in dual column analysis.
DF	Dilution Factor
MDL	Method Detection Limit.
ND	Analyte was NOT DETECTED at or above the detection limit.
NR	Spike/Surrogate showed no recovery.
Q	Qualifier
RL	Reporting Limit
Wet	Sample is not dry weight corrected.

Measurement of uncertainty and any applicable definitions of method modifications are available upon request. Per EPA NLLAP policy, sample results are not blank corrected.

Owen McKenna Laboratory Manager or other approved signatory

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted.



EMSL ANALYTICAL, INC.  
LABORATORY PRODUCTS TRAINING  
EMSL ANALYTICAL, INC.  
LABORATORY PRODUCTS TRAINING

AC338-11

**Environmental Chemistry  
Chain of Custody  
EMSL Order Number (Lab Use Only):**

EMSL Analytical, Inc.  
200 Route 130 North  
Cinnaminson, NJ 08077  
1-800-220-3675  
(856) 786-5974

**Report To Contact Name:** James Eberts  
**Company Name:** Epic Environmental Services, LLC  
**Street:** 80 Fork Bridge Road  
**City:** Pittsgrove **State/Province:** NJ **Zip/Postal Code:** 08318  
**Phone:** 856-205-1077 **Fax:**

**Bill To Company:** Epic Environmental Services, LLC  
**Attention To:** James Eberts / Timothy Eberts  
**Street:** 80 Fork Bridge Road  
**City:** Pittsgrove **State/Province:** NJ **Zip/Postal Code:** 08318  
**Phone:** 856-205-1077 **Fax:**

**Project Name:** 790 Chestnut Street LW  
**U.S. State where Samples Collected:** NJ  
**Email Results To:** jeberts@epicenviro.com / jeberts@epicenviro.com  
**Number of Samples in Shipment:** 253  
**Purchase Order:** 24-1069  
**Date of Shipment:** 10/15/24

**Sample for Compliance?** Yes  No  If yes, NPDES?  Other (Specify):

**Samples Collected by:** EMSL  Client  check one  
**Standard Turnaround Time:**  2 Weeks  
**Sampled By (Signature):** [Signature]  
**The following TATs are subject to lab approval:**  1 Week  4 Days  3 Days  2 Days  1 Day  
**Failure to complete will hinder processing of samples**

Client Sample ID	Comp	Grab	Collect Date/Time	Matrix W=Water S=Soil A=Air SL=Sludge O=Other	Preservative 1=HCL 2=HNO3 3=H2SO4 4=ICE 5=Other	EPA 200.8 Total Lead	List Test(s) Needed				Comments	
							Field pH	Field pH Test Time	Field Temp. Deg C	Field Temp. Test Time		
CHES-WC-BLAL	<input type="checkbox"/>	<input checked="" type="checkbox"/>	10/21/24 0857	W	2	X						
CHES-WC-BLBR	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0855	W		X						
CHES-BF-13LAL	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0855	W		X						
CHES-WC-GLLH	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0857	W		X						
CHES-WC-GLAL	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0857	W		X						
<b>Released By (Signature)</b>			<b>Date &amp; Time</b>		<b>Received By</b>			<b>Date &amp; Time</b>				
[Signature]			10/15/24 1:00		[Signature]			10/15/24 1:00				

**Please indicate reporting requirements:**  Results Only  Results and QC  Reduced Deliverables  Disk Deliverable  Other

**Instructions or Comments:**  
Note: Field pH and Field Temperature are tested on the same day as the date of sample collection.  
Analyze FIRST DRAW Samples. Analyze FLUSH samples if corresponding First Draw result is above 15.5 ppb





EMSL ANALYTICAL, INC.  
LABORATORY PRODUCTS TRAINING  
EMSL ANALYTICAL, INC.  
LABORATORY PRODUCTS TRAINING

**Environmental Chemistry  
Chain of Custody**  
EMSL Order Number (Lab Use Only):

AC33841

Additional Pages of the Chain of Custody are only necessary if needed for additional sample information

Client Sample ID	Failure to complete will hinder processing of samples		Collect Date/Time	Matrix W=Water S=Soil A=Air SL=Sludge O=Other	Preservative 1=HCL 2=HNO3 3=H2SO4 4=ICE 5=Other	EPA 200. 8	List Test(s) Needed				Comments	
	Comp	Grab					Field pH	Field pH Test Time	Field Temp Deg C	Field Temp Test Time		
CHRS-WC-02-H4112L	<input type="checkbox"/>	<input type="checkbox"/>	10/21/24 0908	W	2							
CHRS-WC-02-H4112L	<input type="checkbox"/>	<input type="checkbox"/>	0908	W								
CHRS-WC-02-H4112L	<input type="checkbox"/>	<input type="checkbox"/>	0908	W								
CHRS-WC-03-H4112L	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0909	W								
CHRS-WC-03-H4112L	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0909	W								
CHRS-WC-03-H4112L	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0909	W								
CHRS-50-210	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0916	W								
CHRS-50-210	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0916	W								
CHRS-50-210	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0916	W								
CHRS-FL-210	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0916	W								
CHRS-50-107F	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0917	W								
CHRS-50-107F	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0917	W								
CHRS-50-107C	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0917	W								
CHRS-50-107C	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0917	W								
CHRS-WC-H4113L	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0912	W								
CHRS-WC-H4113L	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0912	W								
CHRS-13E-14413	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0912	W								

(Lab) Received Temperature: \_\_\_\_\_ °C



EMSL ANALYTICAL, INC.  
 LABORATORY PRODUCTS TRAINING  
 EMSL ANALYTICAL, INC.  
 LABORATORY PRODUCTS TRAINING

**Environmental Chemistry  
 Chain of Custody**  
 EMSL Order Number (Lab Use Only):

AC33841

Additional Pages of the Chain of Custody are only necessary if needed for additional sample information

Client Sample ID	Failure to complete will hinder processing of samples		Collect Date/Time	Matrix W=Water S=Soil A=Air SL=Sludge O=Other	Preservative 1=HCL 2=HNO3 3=H2SO4 4=ICE 5=Other	EPA 200. 8	List Test(s) Needed					Comments
	Rep	Grab					Field pH	Field pH Test Time	Field Temp Deg C	Field Temp Test Time		
CHRS-50-123 ↓ FLUSH	<input type="checkbox"/>	<input type="checkbox"/>	10/12/21 0928	W	2							
CHRS-WC-145114L ↓ FLUSH	<input type="checkbox"/>	<input type="checkbox"/>	0928	W								
CHRS-WC-145114R	<input type="checkbox"/>	<input type="checkbox"/>	0928	W								
CHRS-WC-145114	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0924	W								
CHRS-WC-145114	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0924	W								
CHRS-WC-02-145114L	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0931	W								
CHRS-WC-02-145114L	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0931	W								
CHRS-WC-02-145115	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0932	W								
CHRS-50-02-235 ↓ FLUSH	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0932	W								
CHRS-50-02-225 ↓ FLUSH	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0933	W								
CHRS-WC-03-145114L	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0940	W								
CHRS-WC-03-145114R	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0940	W								
CHRS-50-03-331 ↓ FLUSH	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0950	W								

(Lab) Received Temperature: \_\_\_\_\_ °C



EMSL ANALYTICAL, INC.  
LABORATORY PRODUCTS TRAINING  
EMSL ANALYTICAL, INC.  
LABORATORY PRODUCTS TRAINING

Environmental Chemistry  
Chain of Custody  
EMSL Order Number (Lab Use Only):  
AC 55847

Additional Pages of the Chain of Custody are only necessary if needed for additional sample information

Client Sample ID	Failure to complete will hinder processing of samples		Collect Date/Time	Matrix W=Water S=Soil A=Air SL=Sludge O=Other	Preservative 1=HCL 2=HNO3 3=H2SO4 4=ICE 5=Other	EPA 200. 8	List Test(s) Needed					Comments		
	Comp	Grab					Field pH	Field pH Test Time	Field Temp Deg C	Field Temp Test Time				
CHRS-50-03-327 ↓ Rus h	<input type="checkbox"/>	<input type="checkbox"/>	10/12/21 0951	W	2									
CHRS-50-KIT A ↓ ELISHA	<input type="checkbox"/>	<input type="checkbox"/>	0951	W										
CHRS-50-KIT 2 ↓ ELISHA	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0951	W										
CHRS-50-KIT 3 ↓ ELISHA	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0953	W										
CHRS-1M-KIT	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0953	W										
CHRS-WC-hall 7A	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0903	W										
CHRS-WC-hall 7B	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0903	W										
CHRS-50-02-200	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0930	W										
<del>CHRS-50-02-200</del>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W										
CHRS-50-02-200	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0915	W										

(Lab) Received Temperature: \_\_\_\_\_ °C